

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L1 | 0 | Naftali.inv. AND 726/15.ccls. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:33 |
| L2 | 1 | Naftali.inv. AND (713/168.ccls. 726/2,15.ccls. 380/59,270) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:33 |
| L3 | 1 | Naftali.inv. AND ("726".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:34 |
| L4 | 2 | Naftali.inv. AND ("713".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:34 |
| L5 | 0 | Naftali.inv. AND ("380".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:34 |
| L6 | 2 | Naftali.inv. AND ("705".clas.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:34 |
| S1 | 255 | 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/19 18:12 |
| S2 | 3 | authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:15 |

EAST Search History

| | | | | | | |
|----|----|--|--|-----|----|------------------|
| S3 | 3 | packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:22 |
| S4 | 3 | packet AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:22 |
| S5 | 5 | packet AND (extensible authentication protocol OR "EAP") AND server AND client AND 726/15.ccls. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:27 |
| S6 | 54 | packet AND (extensible authentication protocol OR "EAP") AND server AND client AND "726".clas. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:27 |
| S7 | 23 | packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND "726".clas. AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:44 |
| S8 | 61 | packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:44 |
| S9 | 57 | field AND packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:44 |

EAST Search History

| | | | | | | |
|-----|------|---|--|-----|----|------------------|
| S10 | 57 | data AND field AND packet AND authentication AND (extensible authentication protocol OR "EAP") AND server AND client AND (process OR processes) AND ("TCP" OR transmission control protocol) AND ("726".clas. OR "713".clas. OR "380".clas.) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2007/09/20 08:45 |
| S11 | 2694 | (713/168.ccls. 726/2,15.ccls. 380/59, 270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:18 |
| S12 | 1462 | connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59, 270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:18 |
| S13 | 168 | establishment AND initial AND connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59,270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:19 |
| S14 | 13 | ("EAP" extensible authentication protocol) AND establishment AND initial AND connection AND authentication AND (713/168.ccls. 726/2,15.ccls. 380/59, 270) AND (@pd<"20031210" or @ad<"20031210" or @prad<"20031210" or @rlad<"20031210") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/05/13 11:21 |